Tulip
Cool Freeze



- ✔ Easy to move
- ✔ Multi-product cool display
- ✔ Various branding possibilities
- ✔ Maximum product visibility



External dimensions	Gross weight	Refrigerant	Range Cool	Range Freeze
W 775mm D 850mm H 1120mm	85kg	R290 - 150 gr	-1°C to +5°C	-18°C to -15°C

Tulip Cool Freeze



Main features

- 1 cooler, 2 solutions: cool & freeze
- Easy access
- Robust, high-end design
- Easy to brand and rebrand
- Green refrigerant R290
- Easy maintenance
- Electronic thermostat with automatic defrosting

Technical details	
Net Weight (kg)	85
TDA (Total Display Area) [m2]	0,86
Net volume (l)	120
External dimensions W x D x H (mm)	775 x 850 x 1120
Internal dimensions W x D x H (mm)	630 x 620 x 300
Operating Voltage Range	220-240V, 50Hz
Defrosting	Hot Gas
Lighting	LED
Refrigerant	R290 - 150 gr
Energy consumption Cool Function (kWh/24h)	4,4
Energy consumption Freeze Function (kWh/24h)	8,5
Temperature control	Electronical
EU Energy Label	E
Power Cable	Spiral cable 5m, type E plug

Temperatures	
Temperature Range Cool Function	-1°C to +5°C
Temperature Class Cool Function	3M1
Temperature Range Freeze Function	-18°C to -15°C
Temperature Class Freeze Function	3L1
Climate class	3 (25°C, 60% relative humidity)

Transportation	
Gross weight (kg)	100
Package size W x D x H (mm)	800 x 880 x 1300
Quantity 20ft container (pcs)	30
Quantity 40ft container (pcs)	14
Quantity 13,6m truck (pcs)	34

CREATIVE COOLING GROUP

Belgium | Rietbroek 2 | 2200 Herentals | +32 (0)14 230 674
experts@creativecooling.com | www.creativecooling.com

Tulip Cool Freeze

Shelf Dimensions	
Bottom Plate W x D (mm)	630 x 620

Variants

- Tulip with LED Display
- Tulip with LCD Display

Options

- Divider with 4 compartiments

Power cable type G (UK) , type J (CH) or
CEE-plug | standard type E

Belgium | Rietbroek 2 | 2200 Herentals | +32 (0)14 230 674
experts@creativecooling.com | www.creativecooling.com